## **PUBLIC WEBCAST AUCTION**

BID ONSITE OR BID ONLINE :

# PRISTINE ASSETS OF A MANUFACTURER OF SUPER ALLOY & TITANIUM FABRICATIONS FOR IGT & AEROSPACE INDUSTRIES



SURPLUS TO THE ONGOING OPERATIONS OF INTEGRATED ENERGY TECHNOLOGIES, INC., A DELAWARE CORPORATION, A SUBSIDIARY OF DONCASTERS US HOLDINGS 2018, INC

## AUCTION: WEDNESDAY, NOVEMBER 14 AT 10:00 AM PST

INSPECTION: TUESDAY, NOVEMBER 13 FROM 8:00 AM TO 4:00 PM PST OR BY SPECIAL APPOINTMENT.
ALL PARTIES WISHING TO INSPECT MUST PRE-REGISTER WITH PERFECTION INDUSTRIAL SALES.
LOCATION: DONCASTERS MEXICO, PARQUE INDUSTRIAL FINSA, TIJUANA, MEXICO







INCLUDING: PRIMA POWER 5-AXIS LASER SYSTEMS, MACHINING CENTERS, CNC TURNING CENTERS, PLATE ROLLS, SHEAR, PLANISHERS, LONGITUDINAL & CIRCULAR SEAM WELDERS, LINCOLN & MILLER WELDERS, ROBOTIC WELDING SYSTEMS, FUME & DUST COLLECTORS, HYDRAULIC CAKE EXPANDERS, CMM'S, X-RAY INSPECTION & CALIBRATION







00 \$750K NEW COST

PRIMA POWER LASERDYNE 430 5-AXIS FIBER LASER

PRIMA POWER LASERDYNE 795 XL 5-AXIS FIBER LASER

#### **5-AXIS FIBER LASERS**

2017 PRIMA POWER LASERDYNE 795 XL 5-AXIS FIBER LASER, s/n 795.175, Prima Power System 94P Laser Process Control, 78"X, 39"Y, 39"Z, Beam Director-900 Degree Continuous Motion in C-Axis, 300 Degree Continuous Motion in D-Axis, 90 RPM, 65 Ft./Min., IPG Photonics Ytterbium YLS-2000/20000 Laser System, w/Donaldson Torit Powercore TG6 Collection System, IPG Photonics LC71 Chiller, w/2017 Rusach 2-04D450 4th Axis Rotary Table, 36" x 84" Machine Base Table

2016 PRIMA POWER LASERDYNE 430 5-AXIS FIBER LASER, s/n 430.220, Prima Power System 94P Laser Process Control, 23"X, 16"Y, 20"Z, Beam Director-900 Degree Continuous Motion in C-Axis, 300 Degree Continuous Motion in D-Axis, 90 RPM, 49 Ft./Min., 550 Lb Table Capacity, IPG Photonics Ytterbium YLS-1200/12000 Laser System, w/Donaldson Torit PowerCore TG 2 Collection System, IPG Photonics LC71 Chiller



HAAS VF-6/40 CNC VERTICAL MACHINING CENTER

#### **LASER**

2000 GSI LUMONICS LASERDYNE 790 LASER, s/n 009, w/AEC Laser Temp Series II Portable Chiller, System 94W Laser Process Control

#### CNC VERTICAL MACHINING CENTERS

2016 HAAS VF-6/40 CNC VERTICAL MACHINING CENTER, s/n 1132913, Haas CNC Control, 64"X, 32"Y, 30"Z, 28" x 64" Table, 4,000 Lb Table Capacity, 30 HP, 8,100 RPM, 600 In./Min. Rapids, 24 ATC, CAT 40 Spindle Taper, Haas HRT450/P3 4th Axis Rotary Table, s/n 451146 (NEW IN BOX)

LEBLOND MAKINO FNC128-A30 CNC VERTICAL MACHINING CENTER, s/n A95-881, Makino Professional 3 CNC Control, 32" x 71" Table, 49.21"X, 31.5"Y, 27.56"Z, 6,600 Lb Table Capacity, 3,500 RPM, 30 ATC, CAT 50 Spindle Taper, Tsudakoma RNCM-401R 4th Axis Rotary Table, s/n 910937

TREE VMC1260 EZ/32 CNC VERTICAL MACHINING CENTER, s/n 9-14-93-2071, Siemens Acramatic 2100 CNC Control, 21" x 57" Table, 32-ATC, CAT 50 Spindle Taper

#### CNC HORIZONTAL MACHINING CENTERS

(2) 2001 MORI-SEIKI MH-633 CNC HORIZONTAL MACHINING CENTER, s/n's MH630AE1008, NA, Mori Seiki MSG-502 CNC Control, Chip Blaster High Pressure Coolant System

CINCINNATI 20H CINTIMATIC HORIZONTAL MACHINING CENTER, s/n 5540-3H15Z-0007-RL91, Cincinnati Acramatic 850 CNC Control 30.5" x 101" Table, 7.5 HP Hydraulic Unit

CINCINNATI H-5 MAGNUM-800 CNC HORIZONTAL MACHINING CENTER, s/n ZD00A02990002, Cincinnati A2100 CNC Control, (6) 31.5" x 31.5" Pallets, Pallet Changer, CAT 50 Spindle Taper, 60 ATC

#### CNC TURNING CENTERS

1999 MORI SEIKI SL600CMC/2000 CNC TURNING CENTER, s/n 34, Mori Seiki MSC-501 CNC Control, 39.1" Swing Over Bed, 90.6" Distance Between Centers, 10.6" Bar Work Capacity, 3-1,000 RPM Spindle Speed, 3,000 RPM Max. Rotary Tool Speed, 31" 3-Jaw Chuck, 10-Position Turret (Live Tooling at All Positions)

OKUMA LB25II CNC TURNING CENTER, s/n 1012.0704, Okuma OSP7000L CNC Control, 16.54" Swing, 26.57" Distance Between Centers, 25.59" Max. Machining Length, 11.81"X, 26.61"Z, 3,500 RPM

2001 MORI SEIKI CL-203 CNC TURNING CENTER, s/n 1868, Mori Seiki MSG-803 CNC Control, 10-Position Turret, 8" 3-Jaw Chuck, 2.55" Bar Capacity, 16" Swing, 3,500 RPM, Turbo Chip Conveyor, Micro Air OM550 Clean Air System

OKUMA & HOWA ACT 35 CNC TURNING CENTER, s/n 00120, Fanuc 18-T CNC Control, 12-Position Turret, 12" 3-Jaw Chuck, 20" Swing, 24" Machining Length, 3,500 RPM

## CENTERS, CNC TURNING CENTERS, HYDRAULIC EXPANDERS, HYDRAULIC PRESS BRAKE



MORI-SEIKI MH-633 CNC HORIZONTAL MACHINING CENTER





**OKUMA LB25II CNC TURNING CENTER** 



MORI SEIKI CL-203 CNC TURNING CENTER



LEBLOND MAKINO FNC128-A30 CNC VERTICAL MACHINING CENTER



PERFECTO EXPANDERS, W/ 24" TABLE AND ENERPAC PUMP



ACROLINE EXPANDER

#### **HYDRAULIC EXPANDERS**

(2) PERFECTO EXPANDERS, s/n NA, 24" Table Diameter, w/Enerpac PER8418C Hydraulic Pump, s/n C1395C, 10,000 PSI, 12.5 HP

ACROLINE EXPANDER, s/n NA, 16" x 16" Table, w/Vickers 10 HP Hydraulic Unit GROTNES HYDRAULIC EXPANDER, 36" Diameter Table, s/n NA, w/10 HP Hydraulic Unit HYDRAULIC EXPANDER, 42" Diameter Table, 10 HP Lincoln Hydraulic Unit

RING EXPANSION LINE COMPRISING (5) RIPPLERS W/MCLEAN HEAT EXCHANGERS, Eaton Vickers Pumps



CINCINNATI 20H CINTIMATIC HORIZONTAL

**SALE CONDUCTED IN US FUNDS** 



PACIFIC J135-10 HYDRAULIC PRESS BRAKE

#### **HYDRAULIC** PRESS BRAKE

PACIFIC J135-10 HYDRAULIC PRESS BRAKE, s/n 9299, 135-Ton x 10' Capacity, 104" Between Housings, Automec Autogauge CNC 100 Control, Autogauge G24 Backgauge

**SHIPPING DOCUMENTATION FOR BUYERS OUTSIDE OF MEXICO, MEXICO MAQUILADORA BUYERS AND NON-MAQUILADORA BUYERS WILL BE PROVIDED UPON RECEIVING ALL** REQUIRED INFORMATION FROM ALL **BUYERS. DOOR-TO-DOOR RIGGING AND SHIPMENT SERVICES OFFERED VIA COMPANIES LISTED ON OUR** WEBSITE FOR ALL BUYERS.

## BENDING ROLLS, POWER SQUARING SHEAR, ROBOTIC WELDING CELLS, SPOT WELDING



**BUILT-RITE NEW DIMENSION P6.250 3-ROLL PLATE BENDING ROLL** 

GROTNES C-5700-A 3-ROLL UNIVERSAL BENDER

### BENDING ROLLS

**BUILT-RITE NEW DIMENSION P6.250 3-ROLL PLATE BENDING ROLL, s/n 04991701** 

NIAGARA 5-36 3-ROLL PLATE BENDING ROLL, s/n 57222

**GROTNES C-5700-A 3-ROLL UNIVERSAL BENDING MACHINE, s/n 0356** 

#### POWER SQUARING SHEAR

PIRANHA M1/4-10 POWER SQUARING SHEAR, s/n 1109, 1/4" x 10' Capacity, 6' Squaring Arm, Programmable Control



PRE-TEC/FANUC M-20IA 6-AXIS ROBOTIC WELDING CELL



DAIHEN AX-MV6 6-AXIS ROBOTIC WELDING CELL



JANDA PMFD317036 SPOT WELDER



PIRANHA M1/4-10 POWER SQUARING SHEAR

#### ROBOTIC WELDING CELLS

2016 PRE-TEC/FANUC ROBOT M-20IA 6-AXIS ROBOTIC WELDING CELL, s/n A05B-1225-B702, w/Fanuc System R-30iB Robot Controller, s/n E16832412, w/Pendant Control, Pretec Plasma Arc Welding System, Fronius TransTIG 4000 Power Source w/Plasma Module 10, w/High Point Osa-lator T-1000-2X-HT, s/n T-HT-12-16-HP-022, 2-Station, 1400 Lb Payload Total, 3.2 Sec. Indexing Time

2004 DAIHEN AX-MV6 6-AXIS ROBOTIC WELDING CELL, s/n 1L7700-YZ5435708, w/Daihen AX-CMN1-J000 Robot Controller, s/n L8800YZ5435602, w/Pendant Control, Daihen AXPT1001-EC Robot Weld Positioner, s/n L7776YK5266102, K-TIG Welding Control, s/n CON-001 016, K-TIG 1000 Digital Inverter SMAW/TIG Arc Welding Power Source, s/n J1607592003, Daihen Almega 300P Digital Elecon Inverter

2004 DAIHEN AX-MV6 6-AXIS ROBOTIC WELDING CELL, s/n 1L7700-YZ5436518, w/Daihen AXCMN1-J000 Robot Controller, s/n L8800YZ5436213, w/Pendant Control, Daihen AXPT1001-EC Robot Weld Positioner, s/n L7776YK5266101, Lincoln Precision 375 Precision TIG Power Source, s/n U1100600297, Thermal Arc HE150 Coolant Recirculator System, Thermal Arc WC100B Plasma Welding Console, Daihen Almega 300P Digital Elecon Inverter

#### SPOT WELDING

170 KVA JANDA PMFD317036 SPOT WELDER, s/n P3182, w/Medar **DEP100S Weld Control** 

100 KVA PEER P-100 SPOT WELDER, s/n 14908, w/Techtronic T2050 Weld

**75 KVA TELEDYNE PEER P-100** SPOT WELDER, s/n 900076, w/ Entron WS500 Weld Control

**50 KVA BANNER 1AP50A12 SPOT** WELDER, s/n 4128, w/Technitron T2050 Weld Control



TELEDYNE PEER P-100 SPOT WELDER

View our current auction schedule at www.perfectionindustrial.com

**NO CASH ACCEPTED AT THE AUCTION SITE** 

## GANTRY, SEAM & CIRCULAR WELDING SYSTEMS, WELDING POSITIONERS, WELDERS

#### **GANTRY, SEAM & CIRCULAR WELDING SYSTEMS**

MILLER 9' GANTRY WELDER SYSTEM COMPRISING JETLINE ALC-101-6 WELD HEAD, Miller Millermatic Weld Oscillator, Jetline ALC-101 Arc Length Control, Miller Travel Master SB-10D Side Beam Control, Jetline 9029 Wire Feed Control, w/Ransome 5P-B Welding Positioner, s/n 1329276, 30" Diameter Table, 500 Lb Table Capacity

**JETLINE ENGINEERING CW5-72Z CIRCULAR WELDER**, s/n 940439, w/Jetline ALC-101-6 Weld Head, Miller Maxstar 300DX Power Source, s/n KK286808, Bernard 3500SS Chiller, s/n WC27002, Jetline ALC-101 Arc Length Control, Series 9600 Control and 9026 Carriage Control

ITW WELDING AUTOMATION CIRCULAR WELDER SYSTEM COMPRISING MILLER TRAVEL MASTER GMAW GANTRY, Koike Aronson HD25A/T Weld Positioner, s/n 951785, Jetline ALC-401-6 Weld Head, s/n 080387, Jetline ALC-101 Arc Length Control w/9029 Wire Feed Control, Miller Travel Master SB-10D Side Beam Control, Miller Maxstar 300DX, s/n KK303583, Miller Chiller, and Miller TIB Runner Cart

JETLINE ENGINEERING 24" SEAM WELDER, K-TIG 1000 Digital Inverter SMAW/TIG Arc Weld Power Source, s/n J16125920001K-TIG Thermacool 1000 Chiller, Dual Jetline 9600 Series Wire Feed Controls, Jetline DAM-2-MLR-1 Weld Current Control

**JETLINE ENGINEERING 8' SEAM WELDER,** s/n NA, w/Jetline Arc Length Control, 9029 Wire Feed Control, 9026 Carriage Control

AIRLINE/ PERFECTO 48" SEAM WELDER, s/n 0569, w/Miller Syncrowave 350 LX Square Wave Power Source, s/n LB010165 w/Versa-Tig Chiller, Jetline Weld Head, Jetline ALC-201 Arc Length Control, Dual 9600 Series Controls w/ MAG-8000 Magnetic Arc Control

#### **WELDING POSITIONERS**

**KOIKE ARONSON MD5000 WELDING POSITIONER,** s/n 936, 54" x 54" Table, 11,000 Lb Capacity

**ARONSON HD25 WELDING POSITIONER,** s/n 54-248, 30" x 30" Table, 2,500 Lb Capacity

**PRESTON-EASTIN PA30HD-6 WELDING POSITIONER,** s/n PA30HD-158, 36" x 36" Table, 3,000 Lb Capacity

**2000 KOIKE ARONSON LD-300KAI TIG WELD POSITIONER,** s/n 10408, 18" Diameter Table, 660 Lb Table Capacity

(3) 2016 KOIKE SANSO LD-300R WELD POSITIONERS, s/n's A0427, A0428, A0424, 18" Diameter Table, 300kg Table Capacity

(4) 2012 KOIKE SANSO LD-300R WELD POSITIONERS, s/n's 0210, 0214, 0263, 0218, 18" Diameter Table, 300kg Table Capacity

KOIKE ARONSON LD300N-TIG-1 WELD POSITIONER, s/n 9Z01, 14" Diameter Table, 660 Lb Capacity



JETLINE ENGINEERING CW5-72Z CIRCULAR WELDER



ITW WELDING AUTOMATION CIRCULAR WELDER SYSTEM



MILLER 9' GANTRY WELDER SYSTEM



AIRLINE/PERFECTO 48" SEAM WELDER



KOIKE ARONSON MD5000 POSITIONER

#### **WELDERS**

(14) MILLER MAXSTAR 300 DX POWER SOURCES, w/Miller Chiller on Miller TIG Runner Weld Cart

(11) MILLER SYNCROWAVE 350LX SQUARE WAVE POWER SOURCES

(4) MILLER SYNCROWAVE 250 POWER SOURCES, w/Bernard 3500SS Chiller

LINCOLN 375 PRECISION TIG WELDER, s/n U11011006229

**LINCOLN POWERWAVE 355M POWER SOURCE,** s/n U1040805062, w/Lincoln Power Feed 10M, s/n U1031020260

HOBART ULTRAFLEX 350 POWER SOURCE, s/n 296WS09366, w/Cobra Push-Pull GMAW Wire Feeder, s/n 35121

MILLER DYNASTY 300DX POWER SOURCE, s/n KK272872, Vera-TIG VTSL3400 Multi Torch Selector and Miller Chiller on Miller TIG Runner Weld Cart

MILLER DYNASTY 300DX POWER SOURCE, s/n LF305744 w/Miller Chiller on Miller TIG Runner Weld Cart



PRESTON-EASTIN PA30HD-6 POSITIONER

SHIPPING DOCUMENTATION FOR BUYERS
OUTSIDE OF MEXICO, MEXICO
MAQUILADORA BUYERS AND
NON-MAQUILADORA BUYERS WILL BE
PROVIDED UPON RECEIVING ALL
REQUIRED INFORMATION FROM ALL
BUYERS. DOOR-TO-DOOR RIGGING AND
SHIPMENT SERVICES OFFERED VIA
COMPANIES LISTED ON OUR WEBSITE
FOR ALL BUYERS.



### SALE CONDUCTED IN US FUNDS

ASSORTED WELDING POWER SOURCES

**30+ AVAILABLE** 



## TOOL ROOM, PLANISHERS, FUME COLLECTION SYSTEMS, COORDINATE MEASURING MACHINES

#### **TOOL ROOM**

AMERICAN STYLE C 16" X 54" LATHE, s/n 78610, 10" 3-Jaw Chuck, Block Style Tool Post, 23–1,500 RPM, Newall DP700 DRO

AMERICAN PACEMAKER 20" X 48" LATHE, s/n 64991-42, 18" 3-Jaw Chuck, Block Style Tool Post, 13–800 RPM

**HARRISON M400 LATHE,** s/n NA, 12" 3-Jaw Chuck, 16" Swing x 36" Between Centers, 40–2,000 RPM, Block Style Tool Post

VICTOR 1640 LATHE, s/n 561080, 16" Swing x 40" Between Centers, 65-1,800 RPM

**2013 BIRMINGHAM YCL-1640 LATHE,** s/n 340038, 9.5" 3-Jaw Chuck, 16" Swing x 40" Between Centers, 35–2,000 RPM, Uniq SDS6-2V DRO

**DOALL ZV-3620 VERTICAL BANDSAW,** s/n 265-79217, 30" x 36" Table, 35" Throat

**ROLL-IN ALL-PURPOSE VERTICAL BANDSAW,** s/n NA, 18" x 30.5" Table, 15" Throat

TREE 2UVR VERTICAL MILLING MACHINE, s/n 0394, 10.5" x 42" Table, 60–3,300 RPM Spindle Speed, 1.5 HP

**SPRINGFIELD TOOL AND DIE PUNCH PRESS,** s/n NA

NIAGARA NO. 180 BEADER CRIMPER, s/n 72427

ALSO AVAILABLE: (5) DIAMOND GROUND PRODUCTS PIRANHA III TUNGSTEN GRINDERS, DISC SANDERS, AND MORE



AMERICAN PACEMAKER 20" X 48" LATHE



ASSORTED FUME COLLECTION SYSTEMS



MICROAIR MX3510 COLLECTION SYSTEMS



AMERICAN 16" X 54" LATHE W/DRO



AIRLINE 72" PLANISHER

#### **PLANISHERS**

AIRLINE 72" PLANISHER, s/n 0569, Radiotrol Speed Control

PECK 60" PLANISHER, s/n 8574

PANDJIRIS PLANISHER, s/n 12941E00

#### FUME COLLECTION SYSTEMS

(8) MICROAIR MX3510 COLLECTION SYSTEMS

(4) AIR FLOW SYSTEM VIBRA-PULSE COLLECTION SYSTEMS

(2) MICROAIR TASKMASTER TM 1000 COLLECTION SYSTEMS

#### COORDINATE MEASURING MACHINES

**LK G-90C COORDINATE MEASURING MACHINE,** s/n NA, 119" x 62" Table, Renishaw PH10M Probe, Renishaw PI200 Probe Interface, Renishaw PHC-10-20 Probe Head Controller

MITUTOYO CHN1612 COORDINATE MEASURING MA-CHINE, s/n 9010003, Mitutoyo CMMC-36 Control, Renishaw P14 Probe Interface w/PHC 10 Probe Head Controller

2018 FAROARM QUANTUM S 8-AXIS PORTABLE METROLOGY ARM



LK G-90C COORDINATE MEASURING MACHINE



MITUTOYO CHN1612 COORDINATE MEASURING MACHINE



FAROARM QUANTUM S 8-AXIS METROLOGY ARM

To discuss your requirements for an auction, please call Perfection Industrial +1-847-545-6374

### X-RAY SYSTEMS & INSPECTION, MISCELLANEOUS



COMET XRS-160 X-RAY SYSTEM



**BOSELLO X-RAY SYSTEM** 



FLUORESCENT PENETRANT INSPECTION LINE

SHIPPING DOCUMENTATION FOR BUYERS
OUTSIDE OF MEXICO, MEXICO MAQUILADORA
BUYERS AND NON-MAQUILADORA BUYERS
WILL BE PROVIDED UPON RECEIVING ALL
REQUIRED INFORMATION FROM ALL BUYERS.
DOOR-TO-DOOR RIGGING AND SHIPMENT
SERVICES OFFERED VIA COMPANIES LISTED ON
OUR WEBSITE FOR ALL BUYERS.

**SALE CONDUCTED IN US FUNDS** 

NO CASH ACCEPTED AT THE AUCTION SITE



GE STRUCTURIX M ECO X-RAY PROCESSOR

X-RAY SYSTEMS & INSPECTION



**EMR ACRALINE DRUM PUNCH MACHINE** 

**COMET XRS-160 X-RAY SYSTEM,** s/n 627493, Comet XRG Control, 9' x 10' x 10' Booth, w/Willick Engineering EE-LFR30-C X-Ray Head

BOSELLO X-RAY SYSTEM COMPRISING PHILIPS MCN 168 X-RAY GENERATOR, s/n 908669, w/MGC30 Read Out

**2017 GE INSPECTION TECHNOLOGIES STRUCTURIX M ECO X-RAY PROCESSOR,** s/n 1703

**FLUORESCENT PENETRANT INSPECTION LINE W/WASH TANK**, Dry Off Oven, Fluorescent Applicator Booth and Lamp Inspection Booth, 30"W x 36"H Capacity

**CARESTREAM INDUSTREX HPX-1 DIGITAL RADIOGRAPHY (CR) SYSTEM** 

#### **MISCELLANEOUS**

(2) EMR ACRALINE DRUM PUNCH MACHINES, s/n NA, GE Fanuc Series 18-M CNC Control and Fagor Control

**KEMAC INDUSTRIAL HEATED WASH SYSTEM,** s/n 0493, 3' Diameter Table x 5'H Capacity, 10 HP, w/Ruud Commercial Storage Tank/ Booster Water Heater

48" UNKNOWN MAKE VIBRATORY FINISHER, s/n NA

28" SWECO VIBRATORY FINISHER, s/n NA

(2) FILTER 1 BENCHTRON BFS32-3 DOWN DRAFT TABLES, s/n's 02-36-30, 02-26-331, 3 HP, 1,200 CFM

**DUAL DRAW W116/8/8 WALK-IN AIR STATION,**  $16^{\prime}$ L x  $8^{\prime}$ W x  $8^{\prime}$ T, (9) 2 HP Blower Units, Sound Dampening Wall Curtain

#### **ASSORTMENT OF TOOLING**



KEMAC INDUSTRIAL HEATED WASH SYSTEM



FILTER 1 DOWNDRAFT TABLES



ASSORTMENT OF TOOLING



Perfection Industrial Sales - 2550 Arthur Ave., Elk Grove Village, IL 60007 Phone: +1-847-545-6374 - Fax: +1-847-427-8884

www.perfectionindustrial.com



Presorted **First Class Mail** U.S. Postage PAID Eugene, Oregon Permit No. 17

Including: Prima Power 5-Axis Laser Systems, Machining Centers, CNC Turning Centers, Plate Rolls, Shear, Planishers, Longitudinal & Circular Seam Welders, Lincoln & Miller Welders, Robotic Welding Systems, Fume & Dust Collectors, Hydraulic Cake Expanders, CMM's, X-Ray Inspection & Calibration Systems & Much More

# VE WEBCAST

Sale Date: Wednesday, November 14 at 10:00 AM PT Inspection: Tuesday, November 13 from 8:00 AM – 4:00 PM PT – BY APPOINTMENT ONLY

Surplus to the Ongoing Operations of Integrated Energy Technologies, Inc., a Delaware Corporation, a Subsidiary of Doncasters US Holdings 2018, Inc.



**DONCASTERS** 



PRIMA POWER LASERDYNE 795 XL 5-AXIS FIBER LASER

Including: Prima Power 5-Axis Laser Systems, Machining Centers, CNC Turning Centers, Plate Rolls, Shear, Planishers, Longitudinal & Circular Seam Welders, Lincoln & Miller Welders, Robotic Welding Systems, Fume & Dust Collectors, Hydraulic Cake Expanders, CMM's, X-Ray Inspection & Calibration Systems & Much More

#### TERMS OF SALE

A 15% buyer's premium will be charged on all assets purchased by buyers attending the sale in person, and any Webcast or Online Buyers will be charged an 18% buyer's premium. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the buyer's premium will be increased to 18% (bidders attending the Auction in person) or 21% (Webcast or Online Bidders). Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the premises of the sale and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

ALL PURCHASES MUST BE PAID WITHIN 48 HOURS OF THE CLOSE OF SALE. If you intend to pay by wire transfer, we will accept payment the day after the sale ONLY IF a deposit of 25% of the total purchases is made on the day of the sale. Contact our office for wire instructions. Only wire transfer or certified check, payable to Perfection Industrial Sales will be accepted. Company checks

payable to Perfection Industrial Sales will be accepted only if accompanied by a bank letter of guarantee. All sales are subject to sales tax. Purchasers claiming exemptions from taxes must provide proof satisfactory to the Auctioneer of their entitlement to claim such exemptions. Auction Conducted in U.S. Funds.

All assets must be removed no later than Friday, November 30. Removal hours are Monday through Friday, from 8 AM to 4 PM PT, or by special appointment. Extended hours and weekends may be accommodated with prior appointment. Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a \$2M General Liability policy, and that certificate must be provided to the auctioneer before removal. Shipping documentation to buyers outside of Mexico, Mexico Maquiladora buyers and Non-Maquiladora buyers will be provided only upon receiving all required information from the buyers. Door-to-Door rigging and shipment services offered via companies listed on our website.

#### **NEAREST AIRPORTS**

Tijuana International Airport (9 miles from auction site) San Diego International Airport (29 miles from auction site)

# E WEBCAST

### SALE CONDUCTED IN US FUNDS **NO CASH ACCEPTED** THE AUCTION SITE

SHIPPING DOCUMENTATION FOR BUYERS OUTSIDE OF **MEXICO, MEXICO MAQUILADORA BUYERS AND NON-MAQUILADORA BUYERS WILL BE PROVIDED UPON RECEIVING ALL REQUIRED INFORMATION FROM ALL BUYERS. DOOR-TO-DOOR RIGGING AND SHIPMENT SERVICES OFFERED VIA COMPANIES LISTED** ON OUR WEBSITE FOR ALL BUYERS.

#### FOR FURTHER INFORMATION

For further information, contact Jennifer Reiner at +1-847-545-6374 or jennifer@perfectionindustrial.com

**Sale Date:** Wednesday, November 14 at 10:00 AM PT


**Location:** Doncasters Mexico, Parque Industrial FINSA, Tijuana, Mexico

**Inspection:** Tuesday, November 13 from 8:00 AM – 4:00 PM PT – BY APPOINTMENT ONLY



ph +1-847-545-6374 • fax +1-847-427-8884

**Online Bidding Available Through** BidSpotter.com



www.perfectionindustrial.com

QS-0009484