# PUBLIC WEBCAST AUCTION

# FIREPLACE MANUFACTURING FACILITY

## SURPLUS TO ONGOING NEEDS OF: INNOVATIVE HEARTH PRODUCTS **AUCTION: WEDNESDAY, JUNE 19 AT 10:00 AM PDT** INSPECTION: TUESDAY, JUNE 18 FROM 9:00 AM PDT TO 3:00 PM PDT AND MORNING OF SALE FROM 8:00 AM TO 10:00 AM PDT LOCATION: 2701 SOUTH HARBOR BLVD., SANTA ANA, CA





48" CUT-TO-LENGTH/BLANKING LINE, AMADA & WIEDEMANN CNC TURRET PUNCHES, AMADA & CINCINNATI & ACCURPRESS CNC PRESS BRAKES, HELLER C-FRAME PRESS, AIDA & AMADA GAP FRAME PRESSES, HEIM DOUBLE CRANK PRESS, AMADA SHEAR, SEAM WELDER, SPOT WELDERS, PIPE ASSEMBLY, WELDERS, OVENS, MACHINE SHOP, CONCRETE & REFRACTORY EQUIPMENT, TOYOTA, KOMATSU & NISSAN FORKLIFTS, PLANT SUPPORT, PALLET RACKING, WAREHOUSE AND RELATED ITEMS



IN CONJUNCTION WITH:



7115 KRICK RD., PO BOX 461118, WALTON HILLS, OH 44146 OFFICE: (440) 498-8484 | JGREENE@FLSALES.COM **WWW.flsales.com** 

# WWW.UNITEDASSETSALES.COM

# PUBLIC WEBCAST AUCTION — BID ONSITE OR BID ONLINE —

# FIREPLACE MANUFACTURING FACILITY



#### **AUCTION:**

WEDNESDAY, JUNE 19 AT 10:00 AM PDT

#### **INSPECTION:**

TUESDAY, JUNE 18 FROM 9:00 AM PDT TO 3:00 PM PDT AND MORNING OF SALE FROM 8:00 AM TO 10:00 AM PDT

#### **LOCATION:**

2701 SOUTH HARBOR BLVD., SANTA ANA, CA

#### TERMS OF PAYMENT:

CASH, CASHIER'S CHECK, BUSINESS CHECK WITH BANK LETTER OF GUARANTEE, BANK WIRE TRANSFER. FULL PAYMENT MUST BE MADE NO LATER THAN 24 HOURS OF WINNING BID.

#### **REMOVAL:**

ALL ITEMS MUST BE REMOVED NO LATER THAN FRIDAY, JULY 12. NO EXCEPTIONS. PREPPING, REMOVAL, LOADING & TRUCKING IS THE RESPONSIBILITY OF THE BUYER.

#### **BUYER'S PREMIUM**

15% FOR ALL ONSITE PURCHASES AND 18% FOR ALL ONLINE PURCHASES.

#### FOR COMPLETE SALE INFORMATION

CALL ROY GAMITYAN: 818-264-4232 EMAIL: ROY@UNITEDASSETSALES.COM OR VISIT: WWW.UNITEDASSETSALES.COM

#### **ONLINE BIDDING PROVIDED BY**





# WWW.UNITEDASSETSALES.COM

23945 Calabasas Rd., Ste. 209, Calabasas, CA 91302 Office 818.264.4232 | roy@unitedassetsales.com

> ROY GAMITYAN, AUCTIONEER CA Bond# 63388305

# **CUT-TO-LENGTH/BLANKING LINE**

RED BUD INDUSTRIES, 20,000 LB X 48"W X .040", S/N SRD85-M0078 (NEW 1985), CONSISTING OF: RED BUD INDUSTRIES MODEL RM48-20, 48" X 20,000 LB COIL REEL, S/N SRD84-M0078, 60"W MAX COIL I.D., PEELER ARM, RAIL MOUNTED COIL CART, RED BUD INDUSTRIES MODEL SM448, 48"W X .040" STRAIGHTENER, S/N SSD85-M0078, W/ MANUAL ADJUST, RED BUD INDUSTRIES MODEL SL1/20-48, 48"W POWERED PULL THROUGH TYPE FEEDER, S/N SRD85-M0078, RED BUD INDUSTRIES MODEL REEL 100, 48" DIA. SECONDARY REWINDER, S/N SRD85-100, RED BUD INDUSTRIES MODEL FMV6154-60, 60"L X 48"W FEED TABLE, S/N SRD85-M008, RED BUD INDUSTRIES MODEL G125-48, 48"W INDEXING SHEAR, S/N SRD85-M0078, W/ 60 HP DRIVE, RED BUD INDUSTRIES MODEL DS54-14, 14"L EXIT STACKER, W/ ELECTRIC SCISSOR LIFT TABLE



48" BLANKING LINE







# (14) PRESS BRAKES

CINCINNATI MODEL 135 X 8, 135-TON X 8' PRESS Brake, S/N 40856, 10' Overall Bed, 8" Stroke, W/ Auto Model 135-CBIIX8 Control

AMADA MODEL FBD-1025E, 110-TON X 98" CNC PRESS BRAKE, S/N 1020219 (NEW 1990), PROTECH SYSTEMS GUARDING AND AUTOMATION PROGRAMMABLE 2KP EAGLE EYE SAFETY CURTAINS, 15.75" THROAT, 3.9" STROKE, 14.57" OPEN HEIGHT, 8.6-KVA, AMADA NC9-F CNC CONTROL

AMADA MODEL RG-80S, 88-TON HYDRAULIC CNC PRESS BRAKE, S/N 806396 (NEW 1985), PROTECH SYSTEMS GUARDING AND AUTOMATION PROGRAMMABLE 2KP EAGLE EVE SAFETY CURTAINS, 94.6" BED LENGTH, 98.7" MAX BENDING LENGTH, 80.8" DISTANCE BETWEEN UPRIGHTS, 15.7" THROAT DEPTH, 3.94" STROKE, 14.58" OPENING HEIGHT, AUTOMATIC BACK GAUGE, AMADA MODEL NC9-EXII CNC CONTROL

AMADA MODEL RG-80, 88-TON HYDRAULIC CNC PRESS BRAKE, S/N 805357 (NEW 1988), PROTECH SYSTEMS GUARDING AND AUTOMATION PROGRAMMABLE 2KP EAGLE EYE SAFETY CURTAINS, 94.6" BED LENGTH, 98.7" MAX BENDING LENGTH, 80.8" DISTANCE BETWEEN UPRIGHTS, 15.7" THROAT DEPTH, 3.94" STROKE, 14.58" OPENING HEIGHT, AUTOMATIC BACK GAUGE, AMADA MODEL NC9-EXII CNC CONTROL

(3) AMADA MODEL RG-50, 55-TON HYDRAULIC CNC PRESS BRAKE (NEW 1996), S/N'S 5090033, 508981, N/A, PROTECH SYSTEMS GUARDING AND AUTOMATION PROGRAMMABLE 2KP EAGLE EYE SAFETY CURTAINS, 78.8" TABLE LENGTH, 82.1" MAX BEND LENGTH, 59.9" DISTANCE BETWEEN UPRIGHTS, 15.76" THROAT, 3.94" STROKE, 14.5" OPEN HEIGHT, 5-KVA DRIVE, AUTOMATIC BACK GAUGE, MODEL NC9-EXII CNC CONTROL

AMADA MODEL RG-50, 55-TON HYDRAULIC CNC PRESS BRAKE, S/N 50907 (NEW 2000), PROTECH SYSTEMS GUARDING AND AUTOMATION PROGRAMMABLE 2KP EAGLE EYE SAFETY CURTAINS, 78.8" TABLE LENGTH, 82.1" MAX BEND LENGTH, 59.9" DISTANCE BETWEEN UPRIGHTS, 15.76" THROAT, 3.94" STROKE, 14.5" OPEN HEIGHT, 5-KVA DRIVE, AUTOMATIC BACK GAUGE, MODEL NC9-EXII CNC CONTROL









# (6) CNC TURRET PUNCHES

WEIDEMANN MODEL C3000Q, 33-TON, MECHANICAL, S/N 771 (NEW 1995), MAX SHEET THICKNESS ¼", MAX SHEET SIZE W/ REPOSITIONING 160" X 50", 250-HPM, 40 STATION TURRET, THICK TURRET, W/ (2) AUTO INDEX STATIONS, GE FANUC SERIES 0-P CONTROL

AMADA MODEL PEGA 344 QUEEN, 33-TON, S/N AH440278 (NEW 1984), MAX PUNCHING CAPACITY ¼", TURRET SPEED 30-RPM, MAX SHEET SIZE 40" X 40", 58 STATION TURRET, THICK TURRET, W/ (2) AUTO INDEX STATIONS, FANUC 6M CNC CONTROLS

AMADA MODEL PEGA 244, 22-TON, S/N AP440185 (NEW 1995), W/ 24-STATION TURRET, 30-RPM TURRET SPEED, 350-SPM, .025" MAX SHEET THICKNESS, 350MM X 350MM WORK TABLE, THICK TURRET, W/ (2) AUTO INDEX STATIONS, 04PC CNC CONTROL

AMADA MODEL ARIES 245, 20-TON HYDRAULIC, S/N 24500140 (NEW 1988), 19-POSITION TURRET, 50" TABLE, THICK TURRET, W/ (2) AUTO INDEX STATIONS, OP4A CNC CONTROL

AMADA MODEL PEGA 345 KING, 33-TON HYDRAULIC, S/N 0450238 (NEW 1995), MAX SHEET SIZE 40" X 50", ¼" MAX PUNCHING CAPACITY, 475 MAX PUNCH PER MINUTE, 58 STATION TURRET, THICK TURRET, W/ (2) AUTO INDEX STATIONS, WET CLUTCH, MODEL 04PC CNC CONTROL

WEIDEMANN MODEL C3000Q, 33-TON, MAX SHEET THICKNESS ¼", MAX SHEET SIZE W/ REPOSITIONING 160" X 50", 250-HPM, 40 TOOLS, W/ (2) AUTO INDEX STATIONS, FANUC OP CNC CONTROL

AMADA MODEL RG-5020-LD, 55-TON HYDRAULIC CNC PRESS BRAKE, S/N 50200120 (NEW 2000), PROTECH SYSTEMS GUARDING AND AUTOMATION PROGRAMMABLE 2KP EAGLE EYE SAFETY CURTAINS, 78.8" TABLE LENGTH, 82.1" MAX BEND LENGTH, 59.9" DISTANCE BETWEEN UPRIGHTS, 15.76" THROAT, 3.94" STROKE, 14.5" OPEN HEIGHT, 5-KVA DRIVE, AUTOMATIC BACK GAUGE, MODEL NC9-EXII CNC CONTROL

AMADA MODEL RG-25, 25-TON X 4' CNC PRESS BRAKE, S/N 255496 (NEW 1988), PROTECH SYSTEMS GUARDING AND AUTOMATION PROGRAMMABLE 2KP EAGLE EYE SAFETY CURTAINS, 49.3" MAX BEND LENGTH, 48.2" MAX DISTANCE BETWEEN UPRIGHTS, 3.94" STROKE, 13.79" OPENING HEIGHT, AMADA MODEL NC9-EX CNC CONTROL

ACCURPRESS MODEL 7606, 60-TON X 6' CNC HYDRAULIC PRESS BRAKE, S/N 3918 (NEW 1996), W/ AUTOBEND 7 REAR BACK GAUGE, PROTECH SYSTEMS GUARDING AND AUTOMATION PROGRAMMABLE 2KP EAGLE EYE SAFETY CURTAINS, 52" DISTANCE BETWEEN FRAMES, 34" BED HEIGHT, 8" LENGTH OF STROKE, 14" OPEN HEIGHT, 6" CLOSED HEIGHT, 8" THROAT DEPTH, 10 HP DRIVE, W/ CNC CONTROL AND BACK GAUGE

DIARCO MODEL ZS-8, 75-TON X 8' PRESS BRAKE, PROTECH SYSTEMS GUARDING AND AUTOMATION PROGRAMMABLE 2KP EAGLE EYE SAFETY CURTAINS, S/N JJ1171

PREMIER MODEL 425.2.2H, 25-TON X 4' PRESS BRAKE, S/N 127 (NEW 1998), PROTECH SYSTEMS GUARDING AND AUTOMATION PROGRAMMABLE 2KP EAGLE EYE SAFETY CURTAINS, 30" BETWEEN HOUSING, W/ 5 HP DRIVE

GUIFIL MODEL PE-25-60, 66-TON X 8' PRESS BRAKE, S/N 014299, PROTECH SYSTEMS GUARDING AND AUTOMATION PROGRAMMABLE 2KP EAGLE EYE SAFETY CURTAINS, AUTOBEND 7 BACK GAUGE CONTROL






















# **PRESS DEPARTMENT**

HELM MODEL S40D-48-102, 400-TON STRAIGHT SIDE DOUBLE Crank Press, S/N 2736, 102" X 48" BED, 6" Stroke, 14" Shut Height, 18-SPM

HEIM MODEL 300-48-102, 300 TON STRAIGHTSIDE DOUBLE CRANK PRESS, 8" STROKE, 28-SPM, 26.6" DIE HEIGHT, 102" X 48" BOLSTER, 82.6" X 27.5" SLIDE, 19.6" SLIDE TO BOLSTER, 6" SLIDE ADJUSTMENT, HYDRAULIC RE-CLAMPING

HELLER MODEL MARK 2-275, 275 TON C-FRAME PRESS, S/N HS-312 (NEW 1980'S EST.), 9.8" STROKE, 40-SPM, 26.6" DIE HEIGHT, 102" X 36.2" BOLSTER, 82.6" X 27.5" SLIDE, 19.6" SLIDE TO BOLSTER, 4.3" SLIDE ADJUSTMENT, 40-HP DRIVE

(2) AIDA MODEL C1-20 (2), 220-TON GAP FRAME PRESS, S/N 002201010 (NEW 1985 EST.), 9.8" STROKE, 35-SPM, 69.6" X 33" BOLSTER, 33.4" X 25.1" SLIDE, 17.7" SLIDE TO BOLSTER, 4.3" SLIDE ADJUST, 20-HP DRIVE

AIDA MODEL C1-20 (2), 220-TON MECHANICAL GAP FRAME PRESS, S/N 10520-052 (NEW 1975 EST.), 9.8" STROKE, 35-SPM, 109" X 33" BOLSTER, 72.8" X 25.5" SLIDE, 19.6" SLIDE TO BOLSTER, 4.3" SLIDE ADJUST, 25-HP DRIVE

2000 AMADA MODEL TP 150-EX, 165 TON ECCENTRIC GEARED GAP FRAME PRESS, S/N 76000074, 6.89" STROKE, 55 SPM, 3.93" SLIDE ADJUSTMENT, 27.55" 21." SLIDE AREA, 49.21" X 29.35" X 6.30 BOLSTER, 21.65" SHUT HEIGHT

AIDA MODEL PD-XGC-100, 100-TON GAP FRAME PRESS, S/N 10610-0007, 6.6" STROKE, 50-SPM, 64.9" X 23.6" BOLSTER, 49.2" X 19.6" SLIDE, 15.7" SLIDE TO BOLSTER, 2.9 SLIDE ADJUSTMENT, 7.5-HP DRIVE, W/ COE PRESS EQUIPMENT MODEL CDR-4018 18" X 4,000 LB POWER INCOILER

NIAGARA MODEL E-110, 110-TON GAP FRAME PRESS, 10" Stroke, 19.3" Shut Height, 5" Slide Adjust, 42" X 27" Bolster, 28" X 21" Slide, 25 to 50-SPM, PUSH Button Control

BLISS MODEL 23, 75-TON OBI PRESS, 32" X 24" BED SIZE, AIR CLUTCH, PUMP AND CONTROL

# (13) FORKLIFTS

KOMATSU MODEL FG45ST-4, 9,000 LB, LPG, S/N 95392A TOYOTA MODEL 52-6FGCU45, 9,000 LB, LPG, S/N 62139 TOYOTA MODEL 42-5FGC25, 5,000 LB, LPG, S/N 21136 (2) TOYOTA MODEL 5FGC25, 5,000 LB, LPG, S/N 'S 12742, 12445 TOYOTA MODEL 5FGC25, 5,000 LB, LPG, S/N 79069 TOYOTA MODEL 7FGCU25, 5,000 LB, LPG, S/N 62320 TOYOTA MODEL 42-5FGC25, 5,000 LB, LPG, S/N 62320 TOYOTA MODEL 42-5FGC25, 5,000 LB, LPG, S/N 9W3105 TOYOTA MODEL 42-6FGC20, 4,000 LB, LPG, S/N 61552, 27 TOYOTA MODEL 42-6FGCU18, 3,600 LB, LPG, S/N 66759 DATSUN MODEL 42-6FGCU18, 3,000 LB, LPG, S/N 02609 NISSAN MODEL OT30, 3,000 LB ELECTRIC, S/N M97-70290, BATTERY CHARGER

9,000 LB CAPACITY





# PIPE & ACCESSORY FABRICATION

WYSONG MODEL 1252, 12-GA. X 4<sup>3</sup> POWER SQUARING SHEAR, 5/16" MAX STROKE, (8) HOLD DOWNS, 24" BACK GAUGE, 60-SPM FEDERAL MODEL S2-80-UKB-C, 200-KVA SEAM WELDER, S/N 60W31371, 5" THROAT FEDERAL RESISTANCE TYPE SPOT WELDER SEEDORF ACME MODEL RA-2-30, 30-KVA RESISTANCE TYPE SPOT WELDER, S/N B250 SWIFT RESISTANCE TYPE SPOT WELDER



275 TON

MARK2-275

19





















# FIREPLACE ASSEMBLY LINES

#### **ASSEMBLY LINE A:**

JANDA MODEL R4530R, 45-KVA RESISTANCE TYPE SPOT WELDER, S/N 91931, 33" THROAT

DISBATCH 12' X 18' NATURAL GAS FIRED BATCH OVEN, W/ DUAL DOORS KITAMURA MODEL TD-T10, 100-KVA SPOT WELDER, S/N 74512 (NEW 1997), 32" THROAT

32"W X 35'L MOTORIZED BELT CONVEYOR,

KALAMAZOO MODEL 4000MSA, PALLET STRETCH WRAPPER, S/N 940403 Production and support equipment, consisting of: Assembly cell W/ Manual work stations, hand and power tools, heat shrink tunnels

#### ASSEMBLY LINE B :

JANDA VERTICAL RESISTANCE TYPE SPOT WELDER, W/ JANDA POWER SUPPLY, 36" THROAT, JANDA POWER SUPPLY

JANDA VERTICAL RESISTANCE TYPE SPOT WELDER, W/ JANDA POWER SUPPLY, 36" THROAT, JANDA POWER SUPPLY

(2) RWNA 40-KVA RESISTANCE TYPE SPOT WELDER, 33" THROAT

5' X 9' X 7' MANUAL SPRAY BOOTH, W/ (6) 12.75" X 26" CARTRIDGE FILTERS, 5 HP EXHAUST

CATA DYNE MODEL BX2472, CONTINUOUS INFRARED OVEN, W/ (8) 72,000 BTU PER HOUR NATURAL GAS FIRED INFRARED BURNERS, EXHAUST FAN

32"W X APPROX. 250'L MOTORIZED ROLLER CONVEYOR,

LANTECH FULLY AUTOMATIC SIGMA ARM PALLET WRAPPER, S/N SS001806, W/ INFEED AND EXIT CONVEYOR

EQUIPMENT THROUGHOUT LINE, CONSISTING OF: LABEL PRINTERS, WORK STATIONS, DRYING CONVEYORS, MANUAL SPRAY BENCH, ETC.

#### **ASSEMBLY LINE C :**

JANDA MODEL R-40-30, 40-KVA RESISTANCE TYPE SPOT WELDER, S/N R1965, 30" THROAT

150-KVA RESISTANCE TYPE SPOT WELDER, S/N 780142-1

150-KVA RESISTANCE TYPE SPOT WELDER,

SEEDORF ACME MODEL 3466, 30-KVA RESISTANCE TYPE SPOT WELDER, S/N 813 MILLER MODEL CP302, 300-AMP WELDING POWER SOURCE, S/N KJ063873 SPRAY SYSTEMS 6' X 7' X 7' MANUAL SPRAY BOOTH, W/ (8) 24" X 20" FILTERS, EXHAUST FAN

MILLER MODEL MILLERMATIC 250, 250-AMP WELDING POWER SOURCE, KIMURA MODEL SW605P, 60-KVA RESISTANCE TYPE SPOT WELDER, S/N 255942 PRODUCTION AND SUPPORT EQUIPMENT, CONSISTING OF: ASSEMBLY CELL W/ MANUAL WORK STATIONS, HAND AND POWER TOOLS, HEAT SHRINK TUNNELS FALCON MODEL 2948, VERTICAL CARDBOARD BALER, S/N 83008

12" X 36' MOTORIZED BELT CONVEYORS, EACH W/ (2) INFRARED PASS THROUGH HEATERS, APPROX. 24"L

EJ CALLAHAN MODEL 6610, 350,000 BTU NATURAL GAS FIRED OVEN, S/N 101277, 6' X 12' X 8', DUAL DOOR

10' X 18' X 10' NATURAL GAS FIRED OVEN

# CUSTOM DESIGNED & FABRICATED VACUUM FIBER MOLD SYSTEMS, CONSISTING OF:

(2) 54" X 64" X 54" PREMIX CARBON STEEL TANKS, MEZZANINE MOUNTED, W/ (2) TOP MOUNTED MIXERS

(3) 54" X 64" X 54" VACUUM TANKS, CARBON STEEL CONSTRUCTION, EACH WITH (2) MIXERS, CUSTOM DESIGNED & FABRICATED 6-POSITION VACUUM ARM ATTACHMENT 2,500 GALLON VERTICAL CARBON STEEL PRESSURIZED TANK (2) 25 HP ROTARY SCREW VACUUM PUMPS

(2) 25 HP KUTAKY SCREW VACUUM PUMPS

75 GALLON CARBON STEEL MIX TANK



#### CONCRETE AND REFRACTORY EQUIPMENT

CEMENTECH MODEL SCD2-50, 30 YARD SKID MOUNTED PORTABLE CEMENT PLANT, S/N 2SCD15812EH (NEW 1999), 2 CU YD CARRYING CAPACITY, 50 CU YD PER HOUR PRODUCTION CAPACITY, 30 CU YD CEMENT BIN, 8' DIA. X 10'L MIX AUGER, 14"W 2-PLY AGGREGATE BELT, 10 HP DRIVE

SCHUTTE BUFFALO MODEL RC2224, 40 HP HAMMERMILL, S/N 0605069, 22" X 24" OPENING, W/ 24" X 20' MOTORIZED INCLINE BELT CONVEYOR (2) WESTERN MODEL CM900WCLS14B, BATCH TYPE CEMENT MIXERS, S/N CI-NA5263B

### **GRATE EQUIPMENT**

COATING AND DRYING LINE, W/ 3' X 2' X 30' SPRAY TUNNEL, W/ CONVEYORIZED DRYING OVEN, 42"W X 23'L X 48"H W/ SOLOAONICS 150 BTU NATURAL GAS FIRED BURNER, ALL ASSOCIATED OVERHEAD CONVEYOR, ETC.

### **PRINT SHOP**

RICOH MODEL PRO C5100, 12" X 18" CUT Size High Speed Digital Copier, 1200 X 4800 dpi print resolution, 65 piece Per Min. Output











# PUBLIC WEBCAST AUCTION

# FIREPLACE MANUFACTURING FACILITY

## SURPLUS TO ONGOING NEEDS OF: INNOVATIVE HEARTH PRODUCTS **AUCTION: WEDNESDAY, JUNE 19 AT 10:00 AM PDT** INSPECTION: TUESDAY, JUNE 18 FROM 9:00 AM PDT TO 3:00 PM PDT AND MORNING OF SALE FROM 8:00 AM TO 10:00 AM PDT LOCATION: 2701 SOUTH HARBOR BLVD., SANTA ANA, CA

275 TON



#### **ENGINEERING TEST LAB**

MISCELLANEOUS MACHINERY AND EQUIPMENT THROUGHOUT Engineering test Lab, consisting of: Assorted Hand and Power Tools, test and measurement equipment, exhaust Fans, work stations, light duty racking

#### SHIPPING

WULFTEC MODEL WRT150, SIGMA ARM PALLET STRETCH WRAPPER, S/N 0600-6107

#### **MISCELLANEOUS PLANT SUPPORT EQUIPMENT**

LANTECH 6' PALLETS STRETCH WRAPPER, W/ 60" ROTARY PLATFORM, AMADA TOG III DIE GRINDER, ACRA MODEL PS250, 12" X 17" HORIZONTAL METAL CUTTING BAND SAW, S/N 111222, W/ 24"W GRAVITY FED INFEED CONVEYOR, PARTS CRIB, WIRE STRIPPERS, WORK STATIONS, POWER TOOLS, UNI HONE BEAD BLAS CABINET, W/ 32" X 34" OPENING, HAND TRUCKS, WELDING TABLES, BENCH VISES, HAND AND POWER TOOLS, DOUBLE END GRINDERS, WELDERS, SUPPORT STANDS, RACKING, SUPPLY CABINETS, DRILL PRESSES, PARTS BINS, TOOL BOXES, SAWS, UTILITY SHELVING, STORAGE RACKS, 120 SECTIONS OF ASSORTED HEAVY-DUTY ADJUSTABLE STEEL PALLET RACKING, WC CROSS SET MEMBERS, DECKING, WELDING TABLES, BENCH VISES, DOUBLE END GRINDERS, WELDERS, SUPPORT STANDS, RACKING, SUPPLY CABINETS, TORCH OUTFITS, TOOL BOXES, UTILITY SHELVES, STORAGE RACK, BREAKROOM EQUIPMENT, WORK STATIONS, VERTICAL WOOD CUTTING BAND SAWS, PALLETS JACKS, CONVEYORS, FANS, WAREHOUSE LADDERS, STRAPPERS AND MORE!

IF YOU OR SOMEONE YOU KNOW WOULD LIKE TO HAVE AN AUCTION SALE, CALL US AT: 818.264.4232. WE OFFER THE BEST FINDER'S FEE IN THE BUSINESS.







