

# 2-DAY PUBLIC ONLINE AUCTION

INSPECT ONSITE AND BID ONLINE

## SURPLUS TO ONGOING OPERATIONS OF: ALL ENTERPRISES

**TIMED ONLINE AUCTION: TUESDAY, AUGUST 27 & WEDNESDAY, AUGUST 28**

**LOTS START CLOSING AT 10:00 AM PDT EACH DAY**

**INSPECTION: MONDAY, AUGUST 26 FROM 9:00 AM TO 3:00 PM PDT**

**LOCATION: 10598 SILICON AVENUE, MONTCLAIR, CA 91763**



2023

45,000 LB CAPACITY



2008

140,000 LB CAPACITY



25 TON



1 OF 2

2008 VERSA-LIFT, 2023 LOWRY, CATERPILLAR, HYSTER & ROYAL FORKLIFTS TO 140,000 LB CAPACITY, GROVE RT525E 25 TON ROUGH TERRAIN & BRODERSON 15 TON MOBILE CRANES, 2020 WILSON CURTAIN SIDE TRAILER, (2) 2017 DODGE RAM UTILITY & FLATBED TRUCKS, 2017 ETNYRE SLIDE BED EXTENDABLE TRAILER, 2012 DOONAN SPECIALIZED BLACK GOLD STEP DECK TRAILER, SNK 5-AXIS PROFILER, POREBA LONG BED LATHE, ENGINE LATHES, TRIPLE ACTION HYDRAULIC PRESS, VERNON WHEELON FLUID CELL FORMING PRESS, VERNON WHEELON BLADDER PRESS, KNUCKLE JOINT PRESSES, MILLER WELDERS, OVERHEAD CRANES TO 50 TON CAPACITY, RIGGING EQUIPMENT, (50) VIDMAR STORAGE CABINETS, MACHINE SHOP TOOLING & SUPPLIES, TRANSFORMERS, PALLET RACKING AND RELATED ITEMS



2020



**UNITED**  
**ASSET SALES**  
ROY GAMITYAN, AUCTIONEER

**ROY GAMITYAN, AUCTIONEER**

23945 Calabasas Road, Suite 209, Calabasas, CA 91302

Office 818.264.4232 | roy@unitedassetsales.com

**WWW.UNITEDASSETSALES.COM**

# 2-DAY PUBLIC ONLINE AUCTION

INSPECT ONSITE AND BID ONLINE

## SURPLUS TO ONGOING OPERATIONS OF: ALL ENTERPRISES

### TIMED ONLINE AUCTION:

TUESDAY, AUGUST 27 & WEDNESDAY, AUGUST 28  
LOTS START CLOSING AT 10:00 AM PDT EACH DAY

### INSPECTION:

MONDAY, AUGUST 26 FROM 9:00 AM TO 3:00 PM PDT

### INSPECTION LOCATION:

10598 SILICON AVENUE, MONTCLAIR, CA 91763

### TERMS OF PAYMENT:

NO DEBIT OR CREDIT CARDS! CASHIER'S CHECK,  
BUSINESS CHECK WITH BANK LETTER OF GUARANTEE,  
BANK WIRE TRANSFER. FULL PAYMENT MUST BE  
MADE NO LATER THAN 24 HOURS OF WINNING BID.

### REMOVAL:

ALL ITEMS MUST BE REMOVED NO LATER  
THAN THURSDAY, SEPTEMBER 12. NO EXCEPTIONS.  
FREE LOADING OF MACHINERY PROVIDED BY ALL  
ENTERPRISES. TRUCKING IS THE RESPONSIBILITY  
OF THE BUYER.

### BUYER'S PREMIUM:

15% FOR ALL PURCHASES.

FOR COMPLETE SALE INFO: 818.264.4232  
OR VISIT [WWW.UNITEDASSETSALES.COM](http://WWW.UNITEDASSETSALES.COM)  
EMAIL: [ROY@UNITEDASSETSALES.COM](mailto:ROY@UNITEDASSETSALES.COM)

ONLINE BIDDING PROVIDED BY

**BidSpotter**



**UNITED**  
ASSET SALES  
ROY GAMITYAN, AUCTIONEER

[WWW.UNITEDASSETSALES.COM](http://WWW.UNITEDASSETSALES.COM)

23945 Calabasas Rd., Ste. 209, Calabasas, CA 91302

Office 818.264.4232 | [roy@unitedassetsales.com](mailto:roy@unitedassetsales.com)

ROY GAMITYAN, AUCTIONEER  
CA Bond# 63388305

## CURTAIN SIDE TRAILER

2020 WILSON AD-1080, ALUMINUM  
DROP DECK, 80,000 LB MAX  
DISTRIBUTED LOAD CAPACITY, TRIPLE  
AXLE, VIN: 1W1K54832M6630238



2020

## LONG BED ENGINE LATHES

POREBA TR155VSX8M, 60" X 264"  
CC, 4.5" HOLE THRU, 40" CHUCK,  
TAILSTOCK, (3) STEADY RESTS

DAINICHI DHK 75X400, 30" X 156"  
CC, 24" 4-JAW CHUCK, TAILSTOCK,  
STEADY REST, S/N 15863



60" X 264"



30" X 156"


## BLADDER PRESS

VERSON 1260R-12-42, 1260 TON  
HYDRAULIC BLADDER PRESS,  
VERSON CONTROLS, 5000 MAX PSI,  
12" X 42" PLATEN AREA, 3" PLATEN  
DEPTH, S/N 11399



## CNC PROFILER

SNK VERTICAL MACHINING CENTER,  
MODEL FSP-120V, FANUC SERIES  
16-M CONTROL, 24-STATION ATC,  
BT-50 TAPER SPINDLE, XYZ TRAVELS:  
120" X 50" X 24", A=+/-25 DEG,  
B=+/-25 DEG, 125" X 48" TABLE,  
CHIP CONVEYOR, COOLANT,  
S/N 451850



## VERSON WHEELON FLUID CELL FORMING PRESS

VERSON WHEELON, MODEL 29000R-50-116, FLEX-DIE  
RUBBER PAD, S/N 27296, FLUID FORMING CAPACITY  
TONNAGE 29,000, FORMING PRESSURE 10,000 P.S.I.,  
TRAYS: TWO TRAY SIZE AT TOP 50" X 116" (1,270MM X  
2,946.4 MM) RIGHT TRAY AREA AT A 6 INCH (152.4MM)  
DEPTH 42" X 109" (1,079.5MM X 2,768.6MM), LEFT  
TRAY AREA AT A 10 INCH (254MM) DEPTH 37" X 104",  
MOTOR DRIVES: ALL MOTORS WIRED 440 VOLTS, 3  
PHASE, (2) EVACUATE HIGH PRESSURE PUMPS 75 HP  
& 150 HP, (1) ACC PUMP 30 HP, (1) PILOT PUMP 20  
HP, (1) VACUUM PUMP 15 HP, (1) FILTER PUMP 1/4 HP,  
CONTROLS: WIRED 115 VOLTS, OPERATOR CONTROL  
STATION LOCATED CENTER OF BARREL, (2) SIDE  
CONTROLS STATIONS LOCATED AT END OF EACH BARREL  
WITH EMERGENCY STOP BUTTONS, EQUIPPED WITH:  
(1) POWER UNIT AND OIL RESERVOIR, (1) NITROGEN  
INTENSIFIER PUMP, (2) THROW PAD ROLL-UP DEVICE  
FOR EACH TABLE, (1) ACCUMULATOR HYDRAULIC OIL  
STORAGE TANK, (1) FLUID CELL, (1) RUBBER PAD,  
ELECTRICAL STARTER PANELS, COMPLETE FACTORY  
SAFETY GUARDS, DIMENSIONS 342.16" L-R X 120",  
F-B X 1873/8" HEIGHT WITH FILL LINES, MAIN CHAMBER  
WITH FILL LINES, HEIGHT ABOVE GROUND 161 7/8"  
(428.63MM), POWER UNIT AND OIL RESERVOIR F-B 96"  
X 178" (2,438.4MM X 4,521.2MM, INTENSIFIER 33" X  
33" X 132" HT. (38.2MM X 838.2MM X 3,352.8MM),  
ACCUMULATOR 80" DIAMETER X 186" HT. CONTROL  
PANEL 144" LR X 18" FB X 91" HT., APPROX. WT.  
363,700 LBS, (2,032MM DIAMETER X 4,724.4MM HT.)  
3,657.6MM FB X 457.2 FB X 2,311.4MM HT. (NOTE:  
PRESS IS DISASSEMBLED AND READY TO LOAD)



## PRESSES

KOMATSU MAYPRESS 1,000-TON KNUCKLE JOINT  
PRESS, MODEL MKN-1000, CIECO AUTOMATOR PRESS  
AUTOMATION CONTROL, WINTRISS AUTOSSET 1500 LOAD  
ANALYZER, EATON VICKERS 10 HP HYDRAULIC POWER  
UNIT, 7.87" SLIDE STROKE, 23.62" DIE HEIGHT (DISTANCE  
BETWEEN BOLSTER PLATE AND SLIDE STROKE DOWN  
ADJUSTMENT UP), 3.93" SLIDE ADJUSTMENT, 12-24  
SPM, BOLSTER: 35.43" L TO R, 35.43" F TO B, SLIDE:  
35.43" L TO R, 35.43" F TO B, MILWAUKEE POWER ARM

KOMATSU MAYPRESS 800-TON KNUCKLE JOINT PRESS,  
MODEL MKN-800, 5.51" SLIDE STROKE, 29.52" DIE  
HEIGHT (DISTANCE BETWEEN BOLSTER PLATE AND  
SLIDE STROKE DOWN ADJUSTMENT UP), 2.36" SLIDE  
ADJUSTMENT, 29 SPM, BOLSTER: 33.46" L TO R, 39.37"  
F TO B, SLIDE: 29.92" L TO R, 31.49" F TO B, MILWAUKEE  
POWERED ARM, BANNER EZ-SCREEN LIGHT CURTAINS

ADVANCED MACHINE DESIGN 5 70-TON STRAIGHT  
SIDE PRESS, MODEL 570-2230, S/N 8301 CUSTOM  
STRAIGHTENING PRESS





## FORKLIFTS

2008 VERSA-LIFT 100/140, MODEL 85115, 140,000 LB CAPACITY, PROPANE, 24" LOAD CENTER, 138" LOWERED HEIGHT, 138" LIFT HEIGHT, 20" FREE LIFT, TWO STAGE MAST, 10 DEGREE FORWARD TILT, 7 DEGREE BACK TILT, GM V-6 DUAL FUEL ENGINE, HYDRAULIC FORK POSITIONER, 5.5" X 12" X 96" FORKS W/ 48" TAPER TO A 1.5" THICK TIP, LOAD SCALE, HYDROSTATIC TRANSMISSION HEAVY-DUTY OFF ROAD PLANETARY DRIVE AXLE, (9) REMOVABLE 4700 LB COUNTERWEIGHT SLABS, LOW PROFILE OPERATORS STATION, SOLID POLY TIRES, REMOTE CONTROL, HYDRAULIC BOOM ATTACHMENT, APPROX. OPERATING HOURS: 2353, S/N 02505

2023 LOWRY LK 450XDS, 45,000 LB CAPACITY, 3-STAGE MAST, 24" LOAD CENTER, 118" LOWERED HEIGHT, 130" LIFT HEIGHT, 40" FREE LIFT, 5 DEGREE FORWARD TILT, 5 DEGREE BACK TILT, GM VORTEX 5.7L PROPANE ENGINE, DUAL SWING OUT PROPANE TANKS, SIDE SHIFT & FORK POSITION INTEGRAL, 96" FORKS, ROCKWELL 75,000 LB CAPACITY, XTREME DUTY RATED PLANETARY DRIVE PLANETARY DRIVE AXLE, SOLID POLY TIRES, CAMERA SYSTEM, APPROX. OPERATING HOURS: 173, S/N LT3496

CATERPILLAR T200, 20,000 LB CAPACITY, SIDE SHIFT, 72" LONG FORKS, LPG, SOLID TIRE, S/N 71L554

CATERPILLAR T200, 20,000 LB CAPACITY, SIDE SHIFT, 96" LONG FORKS, LPG, SOLID TIRE, S/N 71L645

HYSTER, 15,000 LB CAPACITY, REBUILT LIFT & TILT CYLINDER, LPG

HYSTER, 15,000 LB CAPACITY, SIDE SHIFT, REBUILT LIFT & TILT CYLINDER, LPG

ROYAL T400B, 40,000 LB CAPACITY, LPG, 15' 6" LIFT HEIGHT, 30" LOAD CENTER, 88" FORK LENGTH, HYDRAULIC BOOM ATTACHMENT, S/N 588L172

2023

45,000 LB CAPACITY



2008

140,000 LB CAPACITY



40,000 LB CAPACITY



20,000 LB CAPACITY



15,000 LB CAPACITY

## TRIPLE ACTION HYDRAULIC PRESS

CLEARING, 2,000 TONS X 60", DEEP DRAW HYDRAULIC TRIPLE ACTION PRESS WITH WINDOWS, MDL. DH-1500-500-108, PUMP CAPACITY (TWO) 71.4 G.P.M. @ 3,000 PSI, MAIN MOTORS (TWO) 100 H.P. (T.E.F.C.)-900 RPM, DIE CUSHION, UPGRADED PLC CONTROL, (NOTE: PRESS IS DISASSEMBLED, THE MACHINE IS READY FOR SHIPMENT)

2000 TONS X 60"



## MOBILE CRANES

GROVE RT525E ROUGH TERRAIN, HYDRAULIC, 25 TON, 4X4, 31'-71' THREE EXTENSION FULL POWER BOOM, CUMMINS QSB5.9E DIESEL ENGINE, 58 GALLON CAPACITY FUEL TANK, FOUR HYDRAULIC TELESCOPING OUTRIGGER SYSTEM, S/N 224446

BRODERSON IC-200-2C, 15 TON CAPACITY, 4X4, 36' BOOM LENGTH, 4 WHEEL STEER, DUAL PROPANE TANKS, S/N 84672

25 TON

15 TON



## OVERHEAD BRIDGE CRANES

ACTION 30-TON, APPROX. 61' SPAN TOP RUNNING DOUBLE GIRDER, TWIN HOOKS, S/N 3316928

DEMAG 20-TON, APPROX. 62' SPAN TOP RUNNING DOUBLE GIRDER, DEMAG HOIST, RADIO CONTROLLED, S/N L00142

(2) ACE CRANE SERVICE 15-TON, APPROX. 50' SPAN TOP RUNNING DOUBLE GIRDER, S/N'S S-10303A, S-10303B, EACH WITH DETROIT HOIST & CRANE COMPANY PENDANT CONTROLLED ELECTRIC WIRE HOIST

PACIFIC CRANE & HOIST 15-TON, APPROX. 65' SPAN TOP RUNNING DOUBLE GIRDER, DEMAG HOIST, RADIO CONTROLLED, S/N 08P139

15 TON



1 OF 2





# 2-DAY PUBLIC ONLINE AUCTION

INSPECT ONSITE AND BID ONLINE

## SURPLUS TO ONGOING OPERATIONS OF: ALL ENTERPRISES

**TIMED ONLINE AUCTION: TUESDAY, AUGUST 27 & WEDNESDAY, AUGUST 28**

**LOTS START CLOSING AT 10:00 AM PDT EACH DAY**

**INSPECTION: MONDAY, AUGUST 26 FROM 9:00 AM TO 3:00 PM PDT**

**LOCATION: 10598 SILICON AVENUE, MONTCLAIR, CA 91763**



2023

45,000 LB CAPACITY



2008

140,000 LB CAPACITY

### WAREHOUSE STORAGE CABINETS

OVER (50) STANLEY VIDMAR, LISTA & LYON MULTI DRAWER CABINETS



2008 VERSA-LIFT, 2023 LOWRY, CATERPILLAR, HYSTER & ROYAL FORKLIFTS TO 140,000 LB CAPACITY, GROVE RT525E 25 TON ROUGH TERRAIN & BRODERSON 15 TON MOBILE CRANES, 2020 WILSON CURTAIN SIDE TRAILER, (2) 2017 DODGE RAM UTILITY & FLATBED TRUCKS, 2017 ETNYRE SLIDE BED EXTENDABLE TRAILER, 2012 DOONAN SPECIALIZED BLACK GOLD STEP DECK TRAILER, SNK 5-AXIS PROFILER, POREBA LONG BED LATHE, ENGINE LATHES, TRIPLE ACTION HYDRAULIC PRESS, VERSON WHEELON FLUID CELL FORMING PRESS, VERSON WHEELON BLADDER PRESS, KNUCKLE JOINT PRESSES, MILLER WELDERS, OVERHEAD CRANES TO 50 TON CAPACITY, RIGGING EQUIPMENT, (50) VIDMAR STORAGE CABINETS, MACHINE SHOP TOOLING & SUPPLIES, TRANSFORMERS, PALLET RACKING AND RELATED ITEMS

### MACHINE SHOP & WAREHOUSE SUPPLIES

CARBIDE END MILLS, HIGH SPEED PRECISION TWIST DRILLS, KEYWAY CUTTERS, 50 TAPER TOOL HOLDERS, METRIC HEX BOLTS, METRIC SOCKET CAP SCREWS, METRIC SET SCREWS, BEARINGS, SANDING BELTS & DISCS, BRONZE & BRASS PIPE FITTINGS, C-CLAMPS, RIDGID PIPE STANDS, SWITCHES, MOTORS, DYNAMOMETERS, LADDERS, WELDING TABLES, JUSTRITE FLAMMABLE CABINETS, HOSE REELS, SQUARE D TRANSFORMERS & RELATED ITEMS

### RIGGING EQUIPMENT

HYDRA SET 50,000 LB SCALE, 50-55 TON SHACKLES, CHAINS, MOVING DOLLIES, LIFTING CABLES AND RELATED ITEMS

