

PUBLIC ONLINE AUCTION

INSPECT ONSITE AND BID ONLINE

MAJOR AEROSPACE TITANIUM HOT FORMING & AIRCRAFT COMPONENTS MANUFACTURING FACILITY

MISSOURI METALS

ONLINE AUCTION CLOSES: THURSDAY, JULY 30 STARTING AT 10:00 AM CDT

INSPECTIONS: TUESDAY & WEDNESDAY, JULY 28 & 29 FROM 9:00 AM TO 3:00 PM CDT

INSPECTION LOCATION: 555 EDINGER ROAD, WENTZVILLE, MO 63385



CERTIFIED AEROSPACE TITANIUM SHEET INVENTORY:
\$5,500,000 ORIGINAL COST,
VARIOUS SHEET THICKNESS AND SHEET SIZES
**** CONTACT US FOR A COMPLETE INVENTORY LIST & MORE INFORMATION ****

MULTI-MILLION DOLLAR TITANIUM SHEET INVENTORY, PRECISION FORMING, METAL FABRICATION, MACHINE SHOP, ASSEMBLY, INSPECTION, FORKLIFTS AND RELATED



UNITED
ASSET SALES
ROY GAMITYAN, AUCTIONEER

ROY GAMITYAN, AUCTIONEER

23945 Calabasas Road, Suite 209, Calabasas, CA 91302

Office 818.264.4232 | roy@unitedassetsales.com

WWW.UNITEDASSETSALES.COM

PUBLIC ONLINE AUCTION

INSPECT ONSITE AND BID ONLINE

MAJOR AEROSPACE TITANIUM HOT FORMING & AIRCRAFT COMPONENTS MANUFACTURING FACILITY

TIMED ONLINE AUCTION:

THURSDAY, JULY 30 STARTING AT 10:00 AM CDT

INSPECTIONS:

TUESDAY & WEDNESDAY, JULY 28 & 29
FROM 9:00 AM TO 3:00 PM CDT

INSPECTION LOCATION:

555 EDINGER ROAD, WENTZVILLE, MO 63385

TERMS OF PAYMENT:

CASHIER'S CHECK, BUSINESS CHECK WITH BANK LETTER OF GUARANTEE, BANK WIRE TRANSFER. FULL PAYMENT MUST BE MADE NO LATER THAN 24 HOURS OF WINNING BID.

REMOVAL:

ALL ITEMS MUST BE REMOVED NO LATER THAN FRIDAY, AUGUST 14. NO EXCEPTIONS. PREPPING, REMOVAL, LOADING & TRUCKING IS THE RESPONSIBILITY OF THE BUYER

BUYER'S PREMIUM:

18% FOR ALL PURCHASES.

FOR COMPLETE SALE INFO: 818.264.4232
OR VISIT WWW.UNITEDASSETSALES.COM
EMAIL: ROY@UNITEDASSETSALES.COM

ONLINE BIDDING PROVIDED BY

BidSpotter



UNITED
ASSET SALES
ROY GAMITYAN, AUCTIONEER

WWW.UNITEDASSETSALES.COM

23945 Calabasas Rd., Ste. 209, Calabasas, CA 91302

Office 818.264.4232 | roy@unitedassetsales.com

ROY GAMITYAN, AUCTIONEER
MISSOURI AUCTIONEER LIC# 26-03

PLANT SUPPORT & INSPECTION EQUIPMENT



2024 SPRAY BOOTH, 175" X 235"

2017 UNITHERM DIE COOLING BOX,
MODEL TCB1600, S/N 090616-1, WORK
AREA: 24" X 60" X 36", TEMP RANGE:
1600°F

2017 UNITHERM DIE PREHEAT OVEN,
MODEL DPF2712090, S/N 040618-1,
TEMP RANGE: 1400°F

1999 SAFETY SPEED CUT H5 VERTICAL
PANEL SAW W/ MILWAUKEE 3-1/4 HP
POWER UNIT, S/N 58630

2018 BAILEIGH DC-2100C 3 HP CYCLONE
DUST COLLECTOR, S/N D18110021

2022 ACCUDYNE MOBILE ARGON
SYSTEM, DWG NO. 22002S, S/N 11184,
600 PSI MAX



GRIEVE SB-350 ELECTRIC INDUSTRIAL
OVEN, 9 KW, 350°F MAX TEMP, S/N
620114, 58.3 CU. FT., 1,000 CFM BLOWER

2015 DAIKIN AIR COOLED WATER CHILLER
UNIT, MODEL AWS400CDPEWNN-ER10,
S/N STNU150800003, 460V, 3-PHASE,
400-TON NOMINAL CAPACITY

1995 QUINCY INDUSTRIAL VACUUM,
MODEL MQ SVB25 A AB, 25 HP ROTARY
SCREW VACUUM PUMP

ORBITAL STRETCH WRAPPER/
HORIZONTAL RING WRAPPING MACHINE
CAPTIVEAIRE HVAC MAKE-UP AIR UNIT



INSPECTION

COMPLETE INSPECTION DEPARTMENT:
PLATINUM FAROARM CMM, WILSON
ROCKWELL SERIES HARDNESS
TESTER AND MORE!



ROUTER

2000 THERMWOOD CORP. 5-AXIS CNC ROUTER W/ DUAL MOVING
ALUMINUM TABLES (10' X 5' EACH TABLE), MODEL C67DT,
AUTOMATIC TOOL CHANGER, S/N C67DT2070700





METAL FABRICATION EQUIPMENT

2018 TRUMPF TRULASER CELL 5030 5-AXIS MACHINE, 2D & 3D LASER CUTTING, LASER WELDING, TRUDISK 3001 SOLID STATE LASER, X - 3,000 MM (~300 OPTION), Y - 1,500 MM, Z - 700 MM, B - +/-135 DEG, C - 360 DEG, A1 - 360 DEG, SIEMENS SINUMERIK 840D SL (TRUTOPS CELL BASIC HMI), MODEL 2390577, S/N 50431C0013

2015 CINCINNATI 90BX 10' CNC HYDRAULIC PRESS BRAKE, 90-TON CAPACITY, 8" STROKE, 10" OPEN HEIGHT, S/N 55079

1997 ACCURPRESS 7606 60-TON X 6' CNC HYDRAULIC PRESS BRAKE, 8" STROKE, 14" MAX OPEN HEIGHT, ACCURPRESS CNC CONTROL, S/N 4263

2004 ACCURPRESS 7254 25-TON X 4' CNC HYDRAULIC PRESS BRAKE, ACCURPRESS CONTROLS, AUTOMEC CNC 4000 AUTOGAUGE, S/N 7848, 6" STROKE, 12" OPEN HEIGHT

DI-ACRO NO. 2 TAB NOTCHER/CORNER NOTCHER, 6" X 6", CAPACITY: 16 GA. MILD STEEL

CHICAGO PNEUMATIC PLANISHING HAMMER, TYPE 522, 12" THROAT

MARCHANT SHRINKING & STRETCHING MACHINE, MODEL 6FG, S/N 149

BAILEIGH / RUSCH MACHINE & DESIGN MODEL MSS-14F-CE, FOOT OPERATED SHRINKER/STRETCHER

TENNSMITH 36" SLIP ROLL, MODEL SR36, 22 GA. CAPACITY, S/N 1182

6' PLATE ROLL, NO DATA TAG

2017 DIE FLIPPER, CUSTOM BUILT BY DIERKING, NEVER FULLY

IN-INSTALLED, W/ SECURITY FENCE, ETC.

HYDRAULIC & HOT FORMING PRESSES

DOWNARD HYDRAULICS INC. 340-TON PERSONAL HYDRO PRESS, MODEL PHP-24, PART NO. 4684A000, S/N 111986, 2,190 PSI MAX PRESSURE, W/ 30 HP HYDRAULIC PUMP W/ RESERVOIR

WILLIAMS-WHITE MOLINE HYDRAULIC PRESS, S/N 26440, WORK AREA: 56" X 30" X 8", W/ LARGE HYDRAULIC PUMP W/ RESERVOIR, NEEDS PUMP SEAL

USI HYDRAULIC HOT PRESS, MODEL HGS-75-37-48-48, S/N 11-5088, CAPACITY OF SLIDE: 75-TONS, 48" X 48" PLATENS, TEMP. RANGE: 1050-1650°F, HAS CRACKED PLATEN, UPPER WIRING REDONE W/ HIGH TEMP WIRE IN 2025, (HOT PRESS 4)

USI HYDRAULIC HOT PRESS, MODEL HGS-150-150-72-36, S/N 11-5046, CAPACITY OF SLIDE: 150-TONS, 72" X 36" PLATENS, TEMP RANGE: 1050-1350°F, RAM CYLINDER AND PUMP REBUILT IN 2026, NEW HEAT EXCHANGER 2026, (HOT PRESS 5)

SHERIDAN-GRAY HOT FORMING PRESS, MODEL HP150-48X72, 150-TONS, S/N 62051, 72" X 48" PLATENS, TEMP RANGE: 1050-1450°F, (HOT PRESS 22)

2017 DIE FLIPPER, CUSTOM BUILT BY DIERKING, NEVER FULLY INSTALLED, W/ SECURITY FENCE

2008 WABASH 60-TON HOT PRESS, (PRESS 1 & PRESS 2)

1965 ARMACO 75-TON HOT PRESS, (PRESS 3)



2018



MACHINE SHOP

ACRA TURN-PRO GS18V 3 HP CNC VERTICAL MILL, ACU-RITE 3-AXIS DRO CONTROL, 10" X 54" TABLE, ACU-RITE POWER FEED, POWER DRAW BAR, S/N ON HEAD: 115024T

(2) ENCO VERTICAL MILLS, MODEL 100-1598, ACU-RITE DRO, 10" X 54" TABLE, POWERFEED, S/N'S 41469, 41483

MCDONALD MACHINERY CO. L3 RADIAL ARM DRILL PRESS, 3.3 HP, VARIABLE SPEED, 22" X 18" TABLE W/ 44" X 24" X 1-1/2" PLASTIC TOPPER

ENCO 14" X 40" GAP BED ENGINE LATHE, MODEL 111-3320, S/N 950068, 8" 3-JAW CHUCK, TAILSTOCK, JENIX DSC802L DRO

2015 SHOP FOX 20" FLOOR DRILL PRESS, 1/2" CHUCK, 1-1/2 HP, LARGE 16" X 14" TABLE

ARBOGA MACHINERY 20" FLOOR DRILL PRESS, 1/2" CHUCK, 1 HP, LARGE 16" X 14" TABLE

JET 20" FLOOR DRILL PRESS, 1/2" SPEED CHUCK, 1 HP, MODEL J-2550, LARGE 16" X 14" TABLE

BURR KING 1-1/2" 3-WHEEL BELT GRINDER, MODEL 760, W/ KB GENESIS HYBRID DRIVE AC MOTOR SPEED CONTROL

34" RADIAL ARM DRILL PRESS, 120V, MODEL 5PHC6 DYNABRADE 64400 METAL FINISHING DOWNDRAFT TABLE, 36" X 60", S/N 3364

KALAMAZOO 1" BELT SANDER W/ STAND, 1/3 HP

THOR ROTARY PUNCH PRESS, MODEL 1210, W/ STEEL STAND, CAPACITY: 14 GA. MILD STEEL

JET 1" X 42" BELT AND 8" DISC SANDER, 1/3 HP, W/ ALUMINUM STAND

ROCKWELL 20" FLOOR DRILL PRESS, 18" X 16" TABLE

KALAMAZOO COMBINATION 2" BELT SANDER AND 6" GRINDING WHEEL, W/ PEDESTAL, 1/2 HP

SAWSTOP 10" INDUSTRIAL TABLE SAW, MODEL ICS53230, S/N I183802281, 5 HP

APEX 16" PEDESTAL DISC GRINDER

ENCO 18" VERTICAL BAND SAW, MODEL 450, 20" X 22" TABLE

FUHO FBW-72 BUTT WELDER W/ GRINDER, 1/8"-1" CAPACITY, S/N AOW754

1999 SAFETY SPEED CUT H5 VERTICAL PANEL SAW W/ MILWAUKEE 3-1/4 HP POWER UNIT, S/N 58630

2018 BAILEIGH DC-2100C 3 HP CYCLONE DUST COLLECTOR



HEAT TREATMENT & STRESS RELIEF

1980 LUCIFER FURNACE, MODEL 44-048, S/N 6162, 1250°F

1987 LUCIFER FURNACE, MODEL R07-KHE24, S/N 7228, 900-1400°F

2015 THERMCRAFT STRESS RELIEF OVEN, MODEL OSL-30-48-108-1A-J13931/1A, S/N 1513931/1A, 900-1400°F, VOLUME: 14,440 CUBIC INCHES

1987 LUCIFER FURNACE, MODEL R07-KHE24, S/N 7780, 900-1400°F

1998 CRESS C454 LARGE FLOOR STANDING FURNACE, S/N 9803, 975°-2000°F

PUBLIC ONLINE AUCTION

INSPECT ONSITE AND BID ONLINE

MAJOR AEROSPACE TITANIUM HOT FORMING & AIRCRAFT COMPONENTS MANUFACTURING FACILITY

MISSOURI METALS

ONLINE AUCTION CLOSING: THURSDAY, JULY 30 STARTING AT 10:00 AM CDT

INSPECTIONS: TUESDAY & WEDNESDAY, JULY 28 & 29 FROM 9:00 AM TO 3:00 PM CDT

INSPECTION LOCATION: 555 EDINGER ROAD, WENTZVILLE, MO 63385



**MULTI-MILLION DOLLAR
TITANIUM SHEET
INVENTORY, PRECISION
FORMING, METAL
FABRICATION, MACHINE
SHOP, ASSEMBLY,
INSPECTION, FORKLIFTS
AND RELATED**

FORKLIFTS

2019 TOYOTA, 4,500 LB CAPACITY, MODEL 8FGCU25 LPG, 3-STAGE MAST, SIDE SHIFT, SOLID TIRES, 46" FORKS, APPROX. 2,739 HOURS, S/N 02835

2018 TOYOTA, 4,500 LB CAPACITY, MODEL 8FGCU25, LPG, 3-STAGE MAST, SIDE SHIFT, SOLID TIRES, 46" FORKS, APPROX. 4,621 HOURS, S/N 94847

2018 TOYOTA, 7,000 LB CAPACITY, MODEL 8FG35U, LPG, 3-STAGE MAST, SIDE SHIFT, SOLID OUTDOOR TIRES, 5' FORKS, APPROX. 2,145 HOURS, S/N 13541

2018 TOYOTA, 7,000 LB CAPACITY, MODEL 8FG35U, LPG, 3-STAGE MAST, SIDE SHIFT, SOLID OUTDOOR TIRES, 5' FORKS, APPROX. 2,285 HOURS, S/N 13540

CATERPILLAR, 15,000 LB CAPACITY, MODEL T150D, LPG, 2-STAGE MAST, SOLID TIRES, 5' FORKS, APPROX. 2,918 HOURS, S/N 5MB00646

STANDBY GENERATOR

2009 GENERAC 25 KW, MODEL NO. QT02524KNSNA, S/N 3003663452, NATURAL GAS/PROPANE, LIQUID-COOLED, MITSUBISHI 2.4L ENGINE

2019



SCISSOR LIFT

2005 SKYJACK, ELECTRIC, AERIAL WORK PLATFORM, MODEL SJIII 4632, S/N 713984



CERTIFIED AEROSPACE TITANIUM SHEET INVENTORY

\$5,500,000 ORIGINAL COST, VARIOUS SHEET THICKNESS AND SHEET SIZES, OVER 200 LOTS OFFERED

**** CONTACT US FOR A COMPLETE INVENTORY LIST & MORE INFORMATION ****



2018

2005